A Bioengineering Approach to Environmental Remediation

Daniel Strongin[1], Trevor Douglas[2], and Martin A. Schoonen[3]

(1) Department of Chemistry, Temple University, 1901 N. 13th St., Philadelphia, PA
(2) Department of Chemistry and Biochemistry, Montana State University, Bozeman, MT
(3) Department of Geosciences, SUNY-Stony Brook, Stony Brook, NY

This research is funded by
U.S. EPA - Science To Achieve Results (STAR) Program
Grant # R829601

ACS-PRF

Acknowledgments

Hazel-Ann Hosein - Temple Univ.
Mark Allen - Montana State Univ.
Dan Ensign - Montana State Univ.

Horse Spleen Ferritin (HSF)



- 24 polypeptide subunits
- Spherical protein cage (120 Å dia.)
- Cavity (80 Å dia.)
- Accommodates up to 4500 Fe atoms

Stores Fe as hydrated Fe_2O_3 (rust)

Listeria Innocua Ferritin-like Protein (LFLP)



- 12 polypeptide subunits
- Spherical protein cage (90 Å dia.)
- Cavity (56Å dia.)
- Accommodates up to 500 Fe atoms



Glutamate (COO^-)

12 distinct sites
10 Glu residues (at each site)

Small Heat Shock Protein Cage

From the thermophile

Cloned Mutant used

24 subunit cage with large 3nm

Diameter pores



Goals of EPA - Funded Research



Ferritin as a (photo)catalyst



Ferritin as a Template for The growth of oxide and Metallic nanoparticles



Functionalization of the ferritin shell





Ferroxidase catalysed

(important early on in the mineralization process)

Hwang, J., Krebs, C., Huynh, B. H., Edmondson, D. E., Theil, E. C. & Penner-Hahn, J. E. (2000). *Science* **287**, 122

$$4Fe^{2+} + O_2 \longrightarrow 4Fe(O)OH + 2H_2O + 8H^+$$

Mineral catalysed

(autocatalytic Fe(II) oxidation and hydrolysis

Ferritin as a Photocatalyst



TiO_2 vs. Ferric oxides

- TiO_2
  - Bandgap=3.2 eV
  - uv lamps needed to maximize photochemistry
  - very high stability
- Ferric oxides (e.g., FeOOH
  - Bandgap=2.2 - 2.8eV
  - <u>can utilize a significant part of solar spectrum</u>
  - low stability - photocorrosion

Xenon vs. Solar spectrum



Xenon: The Full Spectrum vs. Deuterium Plus Tungsten *by Robert A. Capobianco,*
http://opto.perkinelmer.com/library/papers/tp9.asp

Experimental



Can we tailor a nanoparticle system having a bandgap In the visible with high stability for application in environmental remediation?

$$Cr_2O_7^{2-} + 14H^+ + 6e^- \rightarrow 2Cr^{3+}\ 7H_2O$$



The decrease of the absorbance at 372 nm. The final concentration of the species: $Na_2Cr_2O_7$: $5x10^{-6}$M; tartrate: $3x10^{-2}$M; Ferritins: 0.25mg/ml; Buffer: 0.1M. Tris, pH8.5. a, CoOOH-Fn; b, MnOOH-Fn; c, FeOOH-Fn.

Stability of catalytic ferritin particles

$Cr_2O_7^{2-}$ (4.0×10^{-4} M)

Reductant – tartrate (3.2×10^{-3} M)

pH 7.5, tris buffer



Ferritin catalyzed reduction



Photocorrosion and aggregation of protein free FeOOH





Ferritin system



Ferritin as a Template for The growth of oxide and Metallic nanoparticles



Loading of metal controls ultimate nanoparticle size

General synthetic scheme for Fe metal production



The PSD-UV uses high intensity UV radiation to vaporize and remove the protein portion

The high pressure cell coupled to UHV chamber where reduction of metal oxide to metal occurs and accompanying transfer apparatus.

Acoustic AC mode AFM Characterization of FeOOH nanoparticles



ISOLATED NANOPARTICLES

Average Height ONLY 2.5 nm!



Relative height distribution of particles

FeOOH nanoparticles prepared by UV-ozone treatment of 100 Fe loaded ferritin for 60 mins at 100°C under oxygen (<5psi)

AC Mode AFM Images: Apoferritin + FeFn mixtures

Apoferritin + 500 FeFn mixture



Apoferritin + 2000 FeFn mixture



TM-AFM Characterization of Iron nanoparticles

- ISOLATED NANOPARTICLES
- Peak-to-valley height differences for the large features in the cross-section are in the 4-6 nm range.

- Full range of height values = 8.0 nm

- RMS roughness = 1.47 nm





Height mode; 286 x 286 nm

Fe nanoparticles prepared by heating FeOOH nanoparticles in H_2.



TM-AFM Characterization of Co_3O_4 nanoparticles

Narrow Distribution of particle sizes: 2.5-3.0 nm

RMS roughness = 1.07 nm



Co_3O_4 nanoparticles on SiO_2 prepared by UV-ozone treatment of LFLP for 1 hr at 100°C under oxygen (<5psi)





Height mode; 235 x 235 nm





Photocatalytic Synthesis of Cu nanoparticles



D. Ensign, M. Young, T. Douglas *Inorg. Chem* (2004)

QuickTime™ and a GIF decompressor are needed to see this picture.



500 Cu/Fn



2000 Cu/Fn



9.7 ± 3 nm



31 ± 8 nm

QuickTime™ and a
GIF decompressor
are needed to see this picture.

Atomic Force Microscopy

Sequestration of Aqueous As(III) by FeOOH nanoparticles

FeOOH Nanoparticles Supported on Si wafer



As(III) addition

Insoluble precipitate



No nanoparticles
No precipitate



Wide scan



Functionalization of the ferritin

Visible Light-Induced Production of Singlet Oxygen

Ground triplet state $^3\Sigma_g$
First excited singlet state $^1\Delta_g$
Second excited singlet state $^1\Sigma_g$





Why?

- Delivery of photosensitizers to cells
- Illumination produces $^1O_2$
- $^1O_2$ is about 1 V more oxidizing than $^3O_2$

Visible Light-Induced Production of Singlet Oxygen



Ru(phen)(bpy)$_2^{2+}$ covalently linked to HSP G41C = photosensitizer

Excitation of the Ru(II)-HSP complex increases the rate Of singlet oxygen production by a factor of 50 compared To the Ru(II) complex alone!

SUMMARY



Ferritin facilitates
Reduction of Cr(VI) to Cr(III)



Ferritin as a Template for the growth of oxide and metallic nanoparticles
Fe and Co oxides / Fe, Co, and Cu metals



Functionalization of the ferritin-like protein shell to form photosensitizer

Acknowledgments

Hazel-Ann Hosein - Temple Univ.
Mark Allen - Montana State Univ.
Dan Esign - Montana State Univ.